A Rational Decision Making Method for Experimental Mechanics, E.A.Patterson, E.J.Olden, 26-32, Jul/Aug.
Advances in Non-contact Ultrasonic Inspection of Railroad Tracks, F. Lanza di Scalea, 23-26, Sept/Oct.
Application of the Direct Complex Stiffness Method to Engine Mounts, Y. Champoux, S. Nadeau, 21-24, May/Jun.
Data Acquisition Series: Part 3, Considerations in Selecting and Evaluating Your A/D Converter, A.L. Wicks, 40-42, Jan/Feb.
Data Acquisition Series: Part 4, Noise Sources in Mechanical Measurements, A.L. Wicks, S.O. Fahey, 40-43, Mar/Apr.
Data Acquistion Series: Part 5, The Use of Data Loggers in Monitoring Building Systems Performance, G.M. Daly, H.J. Flye, 45-48, May/Jun.
Data Acquisition Series: Part 6, Multirate Processing and Spectrum Analyzers, A.L. Wicks, 42-44, Jul/Aug.
Data Acquisition Series: Part 7, Order Analysis and Order Tracking, A.L. Wicks, 48-50, Nov/Dec.
Determination of Peak Stress on Polypropylene Ankle-Foot Orthoses Due to Weight Change Using Strain Gauge Technology, T. Chu, 28-31, Mar/Apr.
Device for Applying Internal Pressure to Cylindrical Specimens, T.L. Norman, C.U Brown, V.L. Kish III, W.M. Vanscoy II, J.D. Blaha, 19-21, Jul/Aug.
DiffractionGrating for Compliant and Porous Materials, X. Niu, P. Ifju, J.R. Bianchi, B. Wallace, 27-30, Jan/Feb.
Ensuring Consistency in Impact-vibration Signature Tests, V.K. Bhuvanagiri, S.E. Swartz, 24-26, Jan/Feb
Experimental Analysis of the Deforming Mode of a Surface in Function of its Roughness, P. Lyonnet, M.Dursapt, H. Zahouani, 36-38 Mar/Apr.
Experimental Visibility Measurement Technique, O. Cuvalci, D.D. Gransberg, B.L. Green, 33-35, Jul/Aug.
Image Analysis Technique to Track the Evolution of Sediment Clusters, T.N. Papanicolaou, A.S chuyler,31-34, Sept/Oct.
Impact Testing of PVDF Strain Gauges at +23 to -23C Assessment of Regions Suitability, L. Peck, 33-35, Jan/Feb.
Improved Signal Processing in Classical Spit Hopkinson Bar Testing, Applied to (Quasi-) Brittle Materials, P. Verleysen, J. Degrieck, 31-33, Nov/Dec.
Loop Technique for Strain Gage Rosette Signal Conditioning, K.F. Anderson, 21-23, Jan/Feb.
Measurement of the Natural Frequencies and Critical Speed Roll-Tensioned Disc, E. Aubrey, D. Fendeleur, F.M. Schmitt, M.Renner, 22-25, Jul/Aug.
Measuring the Deflated Shape of a Dowel Bar Embedded in Concrete, T.D. Bush Jr., S.M. Mannava, 33-36, May/Jun.
Modal Analysis of an Upper Nevada Penstock at Hoover Dam, R.V. Todd, 36-39, Jan/Feb.
Modified Compact Tension Specimen for the Study of Residual Stress Maintainability, E.A. Badr, 25-27, May/Jun.
Moiré in Atomic Force Microscope, D. Liu, H.-T. Chen, A. Lee, 31-32, Jan/Feb.

COHERENT OPTICAL NDT

CONFIGURATIONS:

◆HOLOGRAPHY
◆SHEAROGRAPHY
◆SPECKLE CORRELATION
◆PROJECTED FRINGE MOIRÉ

APPLICATIONS:

- Real-Time Phase Step Imaging
- Full Field Vibration Mode Display
- Instantaneous Static Load Analysis
- Live Jo, Cosine, or Phase Fringes
- Robust Phase Unwrap Program
- Point-and-Shoot Configuration

Karl Stetson Associates
2060 South Street, Coventry, CT 06238
Phone/fax 860/742-8414
Email kstetson@pcholo.com.
www.pcholo.com



Work With Nearly All Brands Of Testers
21 Models Cover All Common Tests

- Travel ranges from 1% to 2000% strain
- Gage lengths from 0.25 to 10 inches (6 to 250 mm)
- Temperature ranges from -265 to 1600 °C
- Also Laser Extensometer



Epsilon TECHNOLOGY CORP
307-733-8360
fax 307-733-8375
3975 S. Highway 89, Jackson, WY 83001 USA
www.epsilontech.com

Multiplexed Grating Shearing Interferometer for Relection Moire Analysis of Partial Slopes and Curvatures of Bent Plates, G. Subramanian, K. Jancy Rose, A. Subramanian, 27-30, Sept/Oct.
Noncontact Measurement of the Roughness of Textile Fabrics, M.-A. Bueno, B. Durand, M. Renner, 23-27, Mar/Apr.
Road Simulation Series: Part 1, An Introduction to Road Simulation, French, M., 37-38, May/Jun.
Road Simulation Series: Part 2, Chassis Dynamometers, M. French, and A. Stark, 45-46, Jul/Aug.
Road Simulation Series: Part 3, Shaker Tables and Four-Posters, M. French, 41-42, Sept/Oct.
Road Simulation Series: Part 4, Procedural Considerations for Road Simulation, M. French, 46-47, Nov/Dec.
Running Force Measurement in High Curvature Wellbores, A.C. Seibi, 31-35, Mar/Apr.
Structural Testing Series: Part 6, Measured and Calculated Modal Characteristics of Heritage Court Tower in Vancouver, BC, C.E. Ventura and T. Horyna, 44-47, Mar/Apr.
Structural Testing Series: Part 7, Impulse Hammer Versus Shaker Excitation for the Modal Testing of Building Floors, P. Reynolds and A. Pavic, 39- 44, May/Jun.
Structural Testing Series: Part 8, Quality Assurance Procedures for the Modal Testing of Building Floor Structures, P. Reynolds and A. Pavic, 36-41, Jul/Aug.
Structural Testing Series: Part 9, Faster, Easier, Finite Element Model Reduction, T.A. Deiters, and K.S. Smith, 35-40, Sept/Oct.
Structural Testing Series: Part 10, Testing the Gemini 8M Telescope, P. Avitabile, 52-54, Nov/Dec.
Study of Experimental Modal Analysis on Tires, L.H. Yam, Y.Y. Li, D.H. Guan, 39-45, Nov/Dec.
Thermal Measurement Associated with Material Failure Using Thermochromatic Coatings, Z. Chen, J. Wang, V.S.Gopalaratnam, B. Orr, J.L. Atwood , 29-32, May/Jun.
Technique for Nondestructive Evaluation of Standing Trees, X. Wang, R.J.Ross, J.R.Erickson, J.B. Ligon, Nov/Dec.
Transducer Effects in Ultrasonic Measurements of Material Stiffness, M.D. Seale, E.I Madaras, 35-38 Nov/Dec.

AUTHOR INDEX

Anderson, K. F., The Loop Technique for Strain Gage Rosette Signal Conditioning, 21-23, Jan/Feb.
Atwood, J.L., Thermal Measurement Associated with Material Failure Using Thermochromatic Coatings, 29-32, May/Jun.
Avitabile, P., Structural Testing Series: Part 10, Testing the Gemini 8M Telescope, 52-54, Nov/Dec.
Aubrey, E., Measurement of the Natural Frequencies and Critical Speed Roll-Tensioned Disc, 22-25, Jul/Aug.
Badr, E.A., A Modified Compact Tension Specimen for the Study of Residual Stress Maintainability, 25-27, May/Jun.
Bhuvanagiri, V.K., Ensuring Consistency in Impact-vibration Signature Tests, 24-26, Jan/Feb

StressStrain
Strain Gage Data Acquisition Systems
Developed by Stress Engineering Services
Based on National Instruments Products

High Channel Count Systems with Low Incremental Cost

Quarter Bridge and Full Bridge Input Capabilities

Quick and Easy Hardware and Channel Setup

Extreme Application Flexibility with Variable Sample Rates

Rugged Portable, Lab and Stand-Alone Designs



Visit our web site for a free electronic brochure

NATIONAL INSTRUMENTS Alliance SELECT INTEGRATOR

StrainDAQ™

www.straindaq.com

Phone: (281) 955-2900 Fax: (281) 955-2638

E-mail: straindq@hou.stress.com

Bianchi, J.R., A Diffraction Grating for Compliant and Porous Materials, 27-30, Jan/Feb.
Blaha, J.D., Device for Applying Internal Pressure to Cylindrical Specimens, 19-21, Jul/Aug.
Brown, C.U., Device for Applying Internal Pressure to Cylindrical Specimens, 19-21, Jul/Aug.
Bueno, M.-A., A Noncontact Measurement of the Roughness of Textile Fabrics, 23-27, Mar/Apr.
Bush Jr., T.D., Measuring the Deflated Shape of a Dowel Bar Embedded in Concrete, 33-36, May/Jun.
Champoux, Y., Application of the Direct Complex Stiffness Method to Engine Mounts, 21-24, May/Jun.
Chen, H.-T., Moiré in Atomic Force Microscope, 31-32, Jan/Feb.
Chen, Z., Thermal Measurement Associated with Material Failure Using Thermochromatic Coatings, 29-32, May/Jun.
Chu T., Determination of Peak Stress on Polypropylene Ankle-Foot Orthoses Due to Weight Change Using Strain Gauge Technology, 28-31, Mar/Apr.
Cuvalci, O., Experimental Visibility Measurement Technique, 33-35, Jul/Aug.
Daly, G.M., Data Acquistion Series: Part 5, The Use of Data Loggers in Monitoring Building Systems Performance, 45-48, May/Jun.
Degrieck, J., An Improved Signal Processing in Classical Spit Hopkinson Bar Testing, Applied to (Quasi-) Brittle Materials, 31-32, Nov/Dec
Deiters, T.A., Structural Testing Series: Part 9, Faster, Easier, Finite Element Model Reduction, 35-40, Sept/Oct.
Durand, B., A Noncontact Measurement of the Roughness of Textile Fabrics, 23-27, Mar/Apr.
Dursapt, M., Experimental Analysis of the Deforming Mode of a Surface in Function of its Roughness, 36-38 Mar/Apr.
Erikson, J.R., Technique for Nondestructive Evaluation of Standing Trees, 27-29, Nov/Dec.
Fahey, S.O., Data Acquisition Series: Part 4, Noise Sources in Mechanical Measurements, 40-43, Mar/Apr.
Fendeleur, D., Measurement of the Natural Frequencies and Critical Speed Roll-Tensioned Disc, 22-25, Jul/Aug.
Flye, H.J., Data Acquistion Series: Part 5, The Use of Data Loggers in Monitoring Building Systems Performance, 45-48, May/Jun.
French, M., Road Simulation Series: Part 1, An Introduction to Road Simulation, 37-38, May/Jun. Road Simulation Series: Part 2, Chassis Dynamometers, 45-46, Jul/Aug. Road Simulation Series: Part 3, Shaker Tables and Four-Posters, 41-42, Sept/Oct. Road Simulation Series: Part 4, Procedural Considerations for Road Simulation, 46-47, Nov/Dec.
Gopalaratnam V.S., Thermal Measurement Associated with Material Failure Using Thermochromatic Coatings, 29-32, May/Jun.
Gransberg, D.D., Experimental Visibility Measurement Technique, 33-35, Jul/Aug.
Green, B.L., Experimental Visibility Measurement Technique, 33-35, Jul/Aug.
Guan, D.H., Study of Experimental Modal Analysis on Tires, 39-45, Nov/Dec.
Horyna, T., Structural Testing Series: Part 6, Measured and Calculated Modal Characteristics of Heritage Court Tower in Vancouver, BC, 44-47, Mar/Apr.
Ifju, P., A Diffraction Grating for Compliant and Porous Materials, 27-30, Jan/Feb.
Jancy Rose, K., A Multiplexed Grating Shearing Interferometer for Relection Moire Analysis of Partial Slopes and Curvatures of Bent Plates, 27-30, Sept/Oct.
Kish III, V.L., Device for Applying Internal Pressure to Cylindrical Specimens, 19-21, Jul/Aug.
Lanza di Scalea, F., Advances in Non-contact Ultrasonic Inspection of Railroad Tracks, 23-26, Sept/Oct.
Lee, A., Moire in Atomic Force Microscope, 31-32, Jan/Feb.
Li, Y.Y., Study of Experimental Modal Analysis on Tires, 39-45, Nov/Dec.
Ligon, J.B., Technique for Nondestructive Evaluation of Standing Trees, 27-29, Nov/Dec.
Liu, D., Moire in Atomic Force Microscope, 31-32, Jan/Feb.
Lyonnet, P., Experimental Analysis of the Deforming Mode of a Surface in Function of its Roughness, 36-38 Mar/Apr.
Madaras, E.I., Transducer Effects in Ultrasonic Measurements of Material Stiffness,35-38, Nov/Dec.
Mannava, S.M., Measuring the Deflated Shape of a Dowel Bar Embedded in Concrete, 33-36, May/Jun.
Mignolet, M.P., Study of Experimental Modal Analysis on Tires, 39-45, Nov/Dec.
Nadeau, S., Application of the Direct Complex Stiffness Method to Engine Mounts, 21-24, May/Jun.
Niu, X., A Diffraction Grating for Compliant and Porous Materials, 27-30, Jan/Feb.
Norman, T.L., Device for Applying Internal Pressure to Cylindrical Specimens, 19-21, Jul/Aug.
Olden, E.J., A Rational Decision Making Method for Experimental Mechanics, 26-32, Jul/Aug.
Orr, B., Thermal Measurement Associated with Material Failure Using Thermochromatic Coatings, 29-32, May/Jun.
Papanicolaou, T.N., Image Analysis Technique to Track the Evolution of Sediment Clusters, 31-34, Sept/Oct.
Patterson, E.A., A Rational Decision Making Method for Experimental Mechanics, 26-32, Jul/Aug.
Pavic, A., Structural Testing Series: Part 7, Impulse Hammer Versus Shaker Excitation for the Modal Testing of Building Floors, 39- 44, May/Jun.
Pavic, A., Structural Testing Series: Part 8, Quality Assurance Procedures for the Modal Testing of Building Floor Structures, 36-41, Jul/Aug.
Peck , L., Impact Testing of PVDF Strain Gauges at +23 to -23C Assessment of Regions Suitability, 33-35, Jan/Feb.
Renner, M., A Noncontact Measurement of the Roughness of Textile Fabrics, 23-27, Mar/Apr.
Renner, M., Measurement of the Natural Frequencies and Critical Speed Roll-Tensioned Disc, 22-25, Jul/Aug.
Reynolds, P., Structural Testing Series: Part 7, Impulse Hammer Versus Shaker Excitation for the Modal Testing of Building Floors, 39- 44, May/Jun.
Reynolds, P., Structural Testing Series: Part 8, Quality Assurance Procedures for the Modal Testing of Building Floor Structures, 36-41, Jul/Aug.
Ross, R.J., Technique for Nondestructive Evaluation of Standing Trees, 27-29, Nov/Dec.
Schmitt, F.M., Measurement of the Natural Frequencies and Critical Speed Roll-Tensioned Disc, 22-25, Jul/Aug.
Schuyler, A., Image Analysis Technique to Track the Evolution of Sediment Clusters, 31-34, Sept/Oct.
Seale, M.D., Transducer Effects in Ultrasonic Measurements of Material Stiffness,35-38, Nov/Dec.
Seibi, A.C., Running Force Measurement in High Curvature Wellbores, 31-35, Mar/Apr.

Smith, K.S., Structural Testing Series: Part 9, Faster, Easier, Finite Element Model Reduction, 35-40, Sept/Oct.
Stark, A., Road Simulation Series: Part 2, Chassis Dyamometers, 45-46, Jul/Aug.
Subramanian, A., A Multiplexed Grating Shearing Interferometer for Relection Moiré Analysis of Partial Slopes and Curvatures of Bent Plates, 27-30, Sept/Oct.
Subramanian, G., A Multiplexed Grating Shearing Interferometer for Relection Moiré Analysis of Partial Slopes and Curvatures of Bent Plates, 27-30, Sept/Oct.
Swartz S.E., Ensuring Consistency in Impact-vibration Signature Tests, 24-26, Jan/Feb.
Todd, R.V., Structural Testing Series: Part 5, Modal Analysis of an Upper Nevada Penstock at Hoover Dam, 36-39, Jan/Feb.
Vanscoy II, W.M., Device for Applying Internal Pressure to Cylindrical Specimens, 19-21, Jul/Aug.
Ventura, C.E., Structural Testing Series: Part 6, Measured and Calculated Modal Characteristics of Heritage Court Tower in Vancouver, BC, 44-47, Mar/Apr.
Verleysen, P., An Improved Signal Processing in Classical Spit Hopkinson Bar Testing, Applied to (Quasi) Brittle Materials, 31-33, Nov/Dec.
Wallace, B., A Diffraction Grating for Compliant and Porous Materials, 27-30, Jan/Feb.
Wang, J., Thermal Measurement Associated with Material Failure Using Thermochromatic Coatings, 29-32, May/Jun.
Wang, X., Technique for Nondestructive Evaluation of Standing Trees,27-29, Nov/Dec.
Wicks, A.L., Data Acquisition Series: Part 3, Considerations in Selecting and Evaluating Your A/D Converter, 40-42, Jan/Feb. Data Acquisition Series: Part 4, Noise Sources in Mechanical Measurements, 40-43, Mar/Apr. Data Acquisition Series: Part 6, Multirate Processing and Spectrum Analyzers, 42-44, Jul/Aug. Data Acquisition Series: Part 7,Order Analysis and Order Tracking, 48-50 Nov/Dec.
Yam, L.H., Study of Experimental Modal Analysis on Tires, 39-45, Nov/Dec.
Zahouani, H., Experimental Analysis of the Deforming Mode of a Surface in Function of its Roughness, 36-38 Mar/Apr.

MEMBERSHIP APPLICATION

SEM Membership Application

Address to be used for mailings: ___ Office ___Home

Name: _____
Last/Family First MI Salutation (Mr., Mrs., Dr.)

Home: _____
Street
_____
City State Zip/Postal Code
_____
Country

Business: _____
Company
_____
Street
_____
City State Zip/Postal Code
_____
Country

Home Telephone: _____

Business Telephone: _____

Business Fax: _____

Email: _____

Publication Abbreviations:
E/T = Experimental Techniques (6 issues)
E/M = Experimental Mechanics (4 issues)
STRAIN = Journal of the British Society for Strain Measurement (BSSM) (4 issues)
MTDM=Mechanics of Time-Dependent Materials (4 issues)
MSSP=Mechanical Systems and Signal Processing Journal (6 issues)
JVC=Journal of Vibration Control (6 issues)

Individual Membership:
❑ E/T $62.00 _____

Add-on Options:
❑ E/M $29.00 _____
❑ STRAIN* $51.00 _____
❑ MTDM $55.00 _____
❑ MSSP $84.00 _____
❑ JVC $40.00 _____
* Includes BSSM Membership

Student Membership:
❑ Graduate E/T, E/M $24.00 _____
❑ Undergrad E/T, E/M $24.00 _____
❑ Undergrad E/T $13.00 _____
School:
Graduation Date:

Optional Foreign Airmail Postage:
❑ Experimental Techniques $25.00 _____
❑ STRAIN $23.00 _____
❑ 2 journals, excluding STRAIN $42.00 _____
❑ 3 journals, excluding STRAIN $65.00 _____
❑ 4 or 5 journals, excluding STRAIN $85.00 _____

Miscellaneous:
❑ Tax Deductible SEM Building Fund Donation _____

WRITE TOTAL IN THIS AREA

Payment Information:
❑ Check to SEM in US dollars
**drawn on US bank bank showing transit and routing numbers (encoded with nine digits at bottom of check).
❑ Charge my MasterCard, VISA or American Express
Account:_____
Signature:_____
Expiration Date:_____